

HYDRAULIC THREE-ROLL BENDING MACHINE : W11Y




W11Y Series hydraulic 3-roller symmetrical plate rolling machine

Product introduction

Machine structure is three-roll symmetric, and the upper roller is vertical lifting motion in the center of the two lower rollers. The piston is operated by hydraulic oil in the hydraulic cylinder. It is hydraulic drive. Two rollers are the main driving rollers. The rotary motion is made. The gear of the reducer is engaged with the lower roller tooth to provide the torque for the rolling plate. Machine with compact structure, Easy to operate and maintain.

Servo cylinder



Roller Machine

The rollers are heat-tempered and bonfire to increase roller hardness and be more wear resistant.

Main motor from siemens


Using siemens motor guarantees the machine service life, and reduce the noise when working



France Schneider Electric

Use France Schneider Electric to make sure the machine has high stability and control can be adjusted, open electric cabinet with open function to cut off the power.

BENDING MACHINE MOULD



Material : Sheet metal material : Carbon steel, alloy, aluminum, copper, stainless steel, brass,

Product Application

Suitable for bending the sheet metal into round, arc, and so on. The main function is rotary bending deformation. This product is widely used in chemical industry, cement, shipbuilding, boiler, aviation, water control project, power tower, metal structure and industrial making machinery.



TECHINCAL PARAMETERS : W11Y

MODEL	Max Plate Thicknes (mm.)	Max Plate Width (mm.)	Yielding Limit of Sheet Metal(mm.)	Diameter Of upper roller (mm.)	Next roller Diameter (mm.)	Diameter Of bottom shart (mm.)	Moter Power (Kw.)	Hydraulic Power (mm.)
W11Y-20X2500	20	2500	245	340	260	430	15	7.5
W11Y-20X3000	20	3000	245	370	300	480	22	7.5
W11Y-20X4500	20	4500	245	420	240	550	22	7.5
W11Y-20X6000	20	6000	245	540	350	600	30	11
W11Y-20X8000	20	8000	245	600	390	750	37	15
W11Y-20X2500	25	2500	245	370	270	480	22	7.5
W11Y-20X3000	25	3000	245	420	360	550	30	11
W11Y-20X3500	25	3500	245	450	390	600	37	11
W11Y-20X2000	30	2000	245	380	300	480	22	7.5
W11Y-20X2500	30	2500	245	410	235	380	30	11
W11Y-20X3000	30	3000	245	450	390	600	37	11
W11Y-20X2500	40	2500	245	500	400	600	37	15
W11Y-20X3000	40	3000	245	540	440	600	45	18.5
W11Y-20X2500	50	2500	245	540	440	600	45	18.5
W11Y-20X3000	50	3000	245	580	480	750	55	22



Contacts



LT INDUSTRIAL GROUP CO.,LTD.

จำหน่ายโดย : บริษัท แอลที อินดัสเทรียล กรุ๊ป จำกัด

Call: (+66) 093-7262495 (HOTLINE)

Call: (+66) 099-1283030 (HOTLINE)

Web: WWW.LTINDUSTRIALGROUP.COM

E-mail : LTINDUSTRIALGROUP.COM



Line ID : [@LTINDUSTRIALGROUP](https://www.line.me/@LTINDUSTRIALGROUP)