




**SYSTEM
PLAST**

Conveyor Chains



Finally all the action you were looking for!

System Plast Based on a long experience in the field, System Plast have worked hard on
presents product development.
an unprecedented Now we are presenting you this overview of our sensational complete range
range of products. of slatband chains.

This full range is widely used by leading manufacturers and end-users in the beverage and other industries.

The range, supported by the professionalism, competence and enthusiasm of all the staff combined with on-going research and development, guarantees state-of-the-art solutions and an excellent performance.

System Plast is giving the industry a new and bright dimension!

STRAIGHT

Steel Chains

SIDEFLEXING

FLAT TOP

812 - 815

Materials:
C45
STANDARD
EXTRA PLUS
EXTRA PLUS HB
AUSTIC

Width	
76.2	101.6
82.5	114.3
83.8	152.4
88.9	190.5



RUBBER TOP

815 VG

Materials:
EXTRA PLUS
+ NBR

Width
82.5



FLAT TOP

881
881 TAB

Materials:
EXTRA
AUSTIC
EXTRA PLUS

Width	R min
82.5	500
114.3	500
190.5	500



RUBBER TOP

881 VG
881 TAB VG

Materials:
EXTRA PLUS + NBR

Width	R min
82.5	500



SPEED LINE 812L - 815L

Materials:
STANDARD
EXTRA PLUS
EXTRA PLUS HB


Width
82.5
83.8



815 TAB VG

Materials:
EXTRA PLUS
+ NBR

Width
82.5

881O
881O TAB

Materials:
EXTRA PLUS

Width	R min
82.5	500
88.9	500
114.3	500
190.5	500



8857 M VG

Materials:
EXTRA PLUS + NBR
EXTRA PLUS HB + NBR


Width	R min
190.5	750



800 - 802 - 805

Materials:
C45 - STANDARD
EXTRA PLUS - EXTRA PLUS HB
AUSTIC

Width
190.5



815 VG MINI

Materials:
EXTRA PLUS
+ NBR

Width
31.8



881 M - 881O MO

Materials:
STANDARD
EXTRA PLUS
EXTRA PLUS HB

Width	R min
82.5	500
83.8	500
114.3	500
190.5	500



881 MO VG

Materials:
EXTRA PLUS
+ NBR

Width	R min
82.5	500



8157

Materials:
EXTRA PLUS
EXTRA PLUS HB


Width
190.5



805 VG

Materials:
EXTRA PLUS + NBR

Width
190.5



SPEED LINE L 881 MO

Materials:
STANDARD
EXTRA PLUS
EXTRA PLUS HB

Width	R min
82.5	500
83.8	500



PLATE TOP (base rollers chain)

1874 roller pitch 3/4"

Materials:

- Plate:
C45
EXTRA

- Roller chain:
C45
AUSTIC

Width	R min
82.5	380



515

Materials:
EXTRA

Width
55.0
60.0
63.5
72.0
82.5
88.9
101.6



8157 VG

Materials:
EXTRA PLUS + NBR
EXTRA PLUS HB + NBR

Width
190.5



8857 M

Materials:
EXTRA PLUS
EXTRA PLUS HB

Width	R min
190.5	750



GRIPPER

1874 GV roller pitch 3/4"

Materials:

Plate:
AUSTIC

Roller chain:
C45 - AUSTIC

Rubber:
NBR - EPDM

Width	R min
82.5	380



Other widths can be supplied on request and for adequate quantities for most chain types.

8157 TAB VG

Materials:
EXTRA PLUS + NBR
EXTRA PLUS HB + NBR

Width
190.5



8857 TAB

Materials:
EXTRA PLUS
EXTRA PLUS HB

Width	R min
190.5	750



Plastic Chains

STRAIGHT

FLAT TOP

820
820 J

Materials:
LF - XPG - NG

J - version
plastic PIN

Width	
63.5	101.6
82.5	114.3
83.8	152.4
88.9	190.5




PLATE TOP (base rollers chain)

843 roller pitch 1/2"

Materials:

Roller chain:
C45
AUSTIC

Top Plate:
LF
XPG
NG

Width	
25.4	
31.8	
34.9	
36.5	
50.8	
82.5	




LBP

LBP 821

Materials:
LFG

Width	
190.5	
254.0	
304.8	



SIDEFLEXING

FLAT TOP

879 - 880

Materials:
LF - XPG - NG


Width	R min
82.5	500
88.9	500
114.3	500



828

Materials:
LF - XPG - NG

Width	
82.5	
83.8	



845 roller pitch 1/2"

Materials:

Roller chain:
SS

Top Plate:
LF


Width	
55.0	



LBP 8257

Materials:
LFG

Width	
190.5	
254.0	
304.8	



879 J - 880 J

Materials:
LF - XPG - NG


Width	R min
82.5	457
114.3	457



831

Materials:
LF - XPG - NG

Width	
82.5	
114.3	
190.5	



863 roller pitch 3/4"

Materials:

Roller chain:
C45
AUSTIC

Top Plate:
LF
XPG
NG


Width	
82.5	
114.3	
152.4	
190.5	



LBP 831

Materials:
LFG


Width	
82.5	
114.3	



879 TAB - 880 TAB

Materials:
LF - XPG - NG

Width	R min
82.5	500
83.8	500
88.9	500
114.3	500



SK 38

Materials:
LF - XPG - NG

Width	
32	
50	




RUBBER TOP

821 VG

Materials:
NG + TPR

Width	
190.5	
254.0	
304.8	



821

Materials:
LF - XPG - NG


Width	
190.5	
254.0	
304.8	



831 VG

Materials:
NG + TPR


Width	
82.5	



8257

Materials:
LF - XPG - NG


Width	
190.5	
254.0	
304.8	



8257 VG

Materials:
NG + TPR


Width	
114.3	
190.5	
254.0	
304.8	



879 M - 880 M

Materials:
LF - XPG - NG

Width	R min
82.5	500
83.8	500
114.3	500
190.5	500



878 TAB

Materials:
LF - XPG

Width	R min
82.5	190
114.3	190



882 BEVEL

Materials:
LF - XPG - NG

Width	R min
114.3	610
190.5	610
254.0	610



Plastic Chains

SIDEFLEXING

FLAT TOP

882 TAB

Materials:
LF - XPG - NG

Width	R min
114.3	610
190.5	610
254.0	610
304.8	610



RUBBER TOP

878 TAB VG

Materials:
NG + TPR

Width	R min
82.5	190




LBP

LBP 878 TAB

Materials:
LFG

Width	R min
82.5	200



GRIPPER

878 TAB GS

Materials:
LFG - PP

Width	R min
82.5	200



882 M

Materials:
LF
XPG
NG

Width	R min
190.5	610
254.0	610
304.8	610



879 TAB VG

Materials:
NG + TPR


Width	R min
82.5	500
114.3	500



LBP 879 M

Materials:
LFG

Width	R min
82.5	500



878 TAB GS

GS1	GS3
R min 210	R min 220
GS2	GS4
R min 225	R min 250
Width 82.5	

Materials:
Plate:
LFG - PP
Gripper:
TPM -
EPDM-PP




PLATE TOP (base rollers chain)

1843 roller pitch 1/2"

Materials:
Roller chain:
C45 - AUSTIC
Top Plate:
LF - XPG - NG

Width	R min
31.8	254
50.8	254



879 M VG

Materials:
NG + TPR

Width	R min
82.5	500



LBP 882 TAB

Materials:
LFG

Width	R min
95.3	610
114.3	610
190.5	610
254	610
304.8	610



1873 GS

Materials:
Roller chain:
C45 - AUSTIC
Top Plate:
LFG - PP

Width	R min
82.5	380
114.3	380



1863 roller pitch 3/4"

Materials:
Roller chain:
C45 - AUSTIC
Top Plate:
LF - XPG - NG

Width	R min
57.2	380



882 TAB VG

Materials:
NG + TPR


Width	R min
190.5	610
254.0	610
304.8	610



LBP 882 M

Materials:
LFG


Width	R min
190.5	610
254.0	610
304.8	610



1873 GS

Materials:
Roller chain:
C45 - AUSTIC
Plate:
LFG - PP
Gripper:
TPR - EPDM

Width	R min
82.5	380
114.3	380



1873 roller pitch 3/4"

Materials:
Roller chain:
C45 - AUSTIC

Width	R min
57.1	380
82.5	380
114.3	380
152.4	500
190.5	500
254.0	500
340.8	610


Top Plate:
LF - XPG - NG



882 M VG

Materials:
NG + TPR


Width	R min
190.5	610
254	610
304.8	610



1883 roller pitch 1"

Materials:
Roller chain:
C45
Top Plate:
LF
XPG
NG

Width	R min
82.5	715



1873 VG roller pitch 3/4"

Materials:
Roller chain:
C45 - SS
Plate:
NG
Rubber:
TPR

Width	R min
190.5	500
304.8	610



Please contact your nearest sales office for recommendations about your application. Check www.systemplast.com



Plastic Chains

SIDEFLEXING

MULTIFLEX

1700 - 1702

Materials:
D - W - LF - LFW

1700

Width	R min
55.0	150



1702

Width	R min
53.5	150



MULTIFLEX

HMGK 50 TAB P

Materials: LF




Width	R min
191	550
254	550

CRATE CONVEYOR

CC 600 - CC 600 TAB

Materials:
CI - W - NG



Width	R min
42.0	760
42.0	700

CRATE CONVEYOR

CC 1400

Materials:
W - NG



Width	R min
50.0	660

HMGK 50 FN HMGK 50

Materials:
D - W

HMGK 50 FN

Width	R min
55.0	130



HMGK 50

Width	R min
53.5	145



HMGK 50 H

Materials:
D - LFW



Width	R min
95	160
190	500

CC 600 P

Materials:
W



Width	R min
42.0	700

CC 1400 TAB

Materials:
W - NG



Width	R min
50.0	660

HMGK 50 MS

Materials:
D - LF



Width	R min
55.0	145

HMGK 50 TAB H

Materials:
D - LFW



Width	R min
95	160
190	500

CC 600 TAB P

Materials:
LF



Width	R min
42.0	700

CC 1431 TAB

Materials:
W - NG



Width	R min
50.0	660

HMGK 50 P

Materials:
D - LF



Width	R min
55	135

7000 - 7000 TAB

Materials:
D - LFW



Width	R min
55.0	140

CC 600 F CC 631 TAB

Materials:
W



Width	R min
42.0	700

SPROCKETS



MACHINED



MOULDED

1701 TAB 1701 TAB OP

Materials:
LF - NG



Width	R min
55.0	150

7001 - 7001 TAB

Materials:
D - LFW



Width	R min
55.0	140




CURVES



Many curves are available for all side flexing chains.

1701 TAB OP M 1702 M


Materials:
LFW



Width	R min
53.5	150

7005 - 7005 TAB

Materials:
D - LFW



Width	R min
55.0	140

TURNING DISKS




Application examples



Catalogues available on request

System Plast


*Our complete range of components will cover
all your productive needs*



System Plast worldwide!

Local Commitment, Global Presence

System Plast can reach you everywhere with fast shipments of standard or customized products.
Find our agent or representative closest to you.



SYSTEM PLAST™

www.systemplast.com

 **System Plast S.r.l. - ITALY**
24060 Telgate (Bergamo) - ITALY
Telephone 035.83.51.301
Telefax 035.83.51.406
info@systemplast.com

 **System Plast - GERMANY**
Tel. (03529) 56.15.0
Fax (03529) 51.13.67
info@fspchains.com

 **System Plast - GERMANY**
Sales Office - GERMANY
Tel. (06204) 9673.0
Fax (06204) 9673.29
info-de@systemplast.com

 **Sytem Plast s.a. - FRANCE**
Tel. (01) 64.66.05.48
Fax (01) 64.66.05.82
info-fr@systemplast.com

 **System Plast International
THE NETHERLANDS**
Tel. (0186) 63.61.21
Fax (0186) 63.61.25
info-nl@systemplast.com

 **System Plast - ENGLAND**
Tel. (01926) 614.314
Fax (01926) 614.914
info-uk@systemplast.com

 **Solus East & West**
Tel. 866-589-3911
Fax 866 447-6587
solusteam@solusii.com

 **Solus System Plast - MEXICO**
Tel. (033) 3688-0024
Fax (033) 3688-0036
info-mx@systemplast.com

 **System Plast - BRAZIL**
Tel. (011) 3849.48.46
Fax (011) 3845.46.02
info-br@systemplast.com

 **System Plast - SINGAPORE**
Tel. (65) 6746.8990
Fax (65) 6745.1380
info-sg@systemplast.com

 **Power Transmission Solutions
(Zhangzhou) Co., Ltd. - CHINA**
Tel. (86) 596 2136017
Fax (86) 596 2136004
sales.zz@emerson.com